Response to Adaptations Made to Core Paths Plan in the Light of the Cairngorms Campaign's Objections

Monday 9 February 2009-02-09

We feel that the adaptations proposed for the Core Paths Plan certainly move towards meeting the Campaign's objections. We are aware that our objections can be withdrawn at any time as the process moves towards and enquiry and this can very likely be achieved. We list our comments in response to the adaptations below.

| Summary of Objection | Response of Cairngorms Campaign |
|---|--|
| Lack of definition of what is reasonable | We welcome the proposal that a clearer |
| access | wording of reasonable will be included in |
| | the plan but feel we would have to see |
| | the wording before we could withdraw |
| | our objection. |
| Lack of information on provision for | We recognise the limitations of the |
| different types of user types within the | current data but consider that the |
| plan | definition of network does require the |
| | area wide assessment of adequacy. We |
| | would like to see future revisions |
| | including this assessment but meanwhile |
| Lack of definition of high quality | can withdraw this objection We feel that the fact that "high quality" |
| Lack of definition of high quality | does not mean engineered needs clearly |
| | stated and we feel that we must sustain |
| | our objection until we see the definition of |
| | high quality. |
| Assumption (implied) that paths can only | Need to see revised plan wording before |
| be upgraded | can withdraw our objection – as we feel |
| | our core concern of the occasional need |
| | to downgrade to protect has not been |
| | met. |
| Lack of clarity in plan as to when/how a | Again we feel we would have to see the |
| core path might be | improved wording before we could |
| closed/removed/downgraded | withdraw our objection |
| Lack of match with Local Plan in relation | Again we feel we would have to see the |
| to wild land areas | improved wording before we could |
| | withdraw our objection |
| | |